



We bring comfort to your life. ®

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EPS Block and Board

DESCRIPTION: Expanded Polystyrene

MANUFACTURER: Carpenter Co.
5016 Monument Ave.
Richmond, Virginia 23230

FOR PRODUCT INFORMATION: (804) 233-0606

EMERGENCY TELEPHONE: (800) 424-9300 – CHEMTREC

PREPARATION DATE: May 8, 2007

PREPARED BY: I. H. Department

SECTION 2 – INFORMATION ON HAZARDOUS INGREDIENTS

None

SECTION 3 –HAZARDS IDENTIFICATION

ACUTE EFFECTS:

Eye: Residual amounts of dust or small particulates may cause eye irritation.

Skin: Residual amounts of dust or small particulates may cause skin irritation.

Inhalation: Dust may cause irritation of the nose and throat.

Ingestion: Not expected to be an ingestion hazard in normal use.

CHRONIC EFFECTS: None known.

EXPOSURE GUIDELINES:

Nuisance Dust (Total): OSHA – 15 mg/m³ TWA

SECTION 4 – FIRST AID

EYES: Flush with plenty of water. Remove larger particulates from the eye.

SKIN: Wash thoroughly with soap and water.

INHALATION: Remove victim to fresh air.

INGESTION: If more than a mouthful is swallowed, give 1 to 2 glasses of water. Seek medical attention.

SECTION 5 – FIRE AND EXPLOSION DATA

AUTO-IGNITION TEMPERATURE: >800°F (by ASTM D-1929)

HAZARDOUS COMBUSTION MATERIALS: Oxides of carbon.

EXTINGUISHING MEDIA: Dry chemical, foam, carbon dioxide, water fog or fine spray. Do not use direct water spray.

SPECIAL FIREFIGHTING PROCEDURES: Responding personnel must wear positive-pressure, self-contained breathing apparatus (SCBA) and protective firefighting clothing.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Not applicable.

SECTION 7 – HANDLING AND STORAGE

WASTE DISPOSAL: Treat as normal refuse in accordance with local, State, and Federal regulations.

HANDLING/STORAGE: Store and use away from sparks and open flame.

SECTION 8 – PERSONAL PROTECTION / EXPOSURE CONTROLS

RESPIRATORY PROTECTION: None required under normal use.

EYE PROTECTION: Safety glasses with side shields.

SKIN PROTECTION: Butyl, nitrile, or latex rubber gloves.

ENGINEERING CONTROLS: General ventilation.

ADDITIONAL PROTECTION: Eyewash station and safety shower.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/ODOR:	White solid, slight hydrocarbon odor.
SPECIFIC GRAVITY:	<1.0 (H ₂ O=1)
VAPOR PRESSURE:	Negligible. .
VAPOR DENSITY:	Not determined (air=1).
BOILING POINT (° F):	Not applicable.
SOLUBILITY IN WATER:	Negligible.

SECTION 10 – STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

CONDITIONS TO AVOID: Heat, sparks, and open flame.

INCOMPATIBILITY: Aromatic solvents, strong oxidizing agents.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11 – TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

LD50 rat (oral)	Not available.
LD50 rabbit (dermal)	Not available.
LC50 rat (inhalation)	Not available.

CARCINOGENICITY: No component listed under IARC, NTP, or OSHA.

SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.

BIODEGRADATION: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not dump into any sewers, on the ground, or into any body of water. All disposal methods must be in compliance with Federal, State/Provincial, and local regulations

SECTION 14 – TRANSPORT INFORMATION

U.S. DOT: Not regulated.

SECTION 15 – REGULATORY INFORMATION

USA REGULATIONS

TSCA: All components of this product are listed on, or are exempt from the TSCA inventory.

SARA 311/312: None reportable.

SARA 313: None reportable.

STATE RIGHT-TO-KNOW: To the best of our knowledge, this product contains no chemical known to the State of California to cause cancer, birth defects, or other reproductive harm. (California Health and Safety Code Section 25249.6).

SECTION 16 – OTHER INFORMATION

NPCA/HMIS RATINGS

Health:	1
Flammability:	1
Reactivity:	0
Personal Protection:	-

WARNING

EPS FOAM IS FLAMMABLE. MODIFIED EPS LIKE MOST PLASTIC FOAMS IS FLAMMABLE. DO NOT EXPOSE EPS TO OPEN FLAMES OR OTHER DIRECT OR INDIRECT HIGH TEMPERATURE IGNITION SOURCES SUCH AS BURNING OPERATIONS, WELDING, BURNING CIGARETTES, SPACE HEATERS OR NAKED LIGHTS. WHEN BURNING, EPS WILL CONSUME OXYGEN, RELEASING GREAT HEAT AND SMOKE AND POTENTIALLY TOXIC GASES SUCH AS CARBON MONOXIDE AND CARBON DIOXIDE. DO NOT USE, INSTALL OR STORE EPS EXCEPT IN STRICT COMPLIANCE WITH BOCA, ICBO OR SBCCI CODES, AS WELL AS ANY FIRE-RELATED LAWS/ORDINANCES. FAILURE TO COMPLY WITH THESE CODES/LAWS MAY INCREASE THE RISK OF FIRE AND RESULT IN PERSONAL INJURY OR PROPERTY DAMAGE FROM SMOKE, FLAMES OR WATER.

The data in this Material Safety Data Sheet is offered for your consideration, investigation and verification. The data is presented in good faith and was obtained from sources Carpenter believes to be reliable. Carpenter, however, makes no representation as to the completeness or accuracy. Carpenter makes no warranty, express or implied, with respect to the data contained herein.

Carpenter cannot anticipate all conditions under which this data and the product may be used. The conditions of handling, storage, use, and disposal of the product are beyond Carpenter's control. Thus, we expressly disclaim responsibility or liability for any loss, damage or expense arising out of reliance on the information contained herein. You are advised to make your own determination as to safety, suitability and appropriate manner of handling, storage, use and disposal.