
Material Safety Data Sheet



Issuing Date March 11, 2008 Revision Date May 14, 2008 Revision Number 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Component B for

Touch 'n Seal Foam Kit Class I FR Foam

Touch 'n Seal Mine Foam

Touch 'n Seal Rib & Roof Foam Sealant Touch 'n Seal Foam Kit Low Density

Recommended Use Insulation, Sealant

Supplier Address Convenience Products, division of Clayton Corp.

866 Horan Drive

Fenton, MO 63026-2416 USA

TEL: (636) 349-5855

Emergency Telephone Number Chemtrec 1-800-424-9300

(703) 527-3887 outside US

2. HAZARDS IDENTIFICATION

Emergency Overview

May cause drowsiness and dizziness.

Appearance Pale AmberPhysical StateLiquidOdor Fainthydrocarbon

Potential Health Effects

Ingestion

Principle Routes of Exposure Inhalation, Skin contact, Eye contact.

Acute Toxicity

Eyes May cause slight irritation. Avoid contact with eyes.

Skin May cause skin irritation and/or dermatitis. Contact with product may cause frostbite. Avoid

contact with skin and clothing.

Inhalation May cause central nervous system depression with nausea, headache, dizziness, vomiting,

and incoordination. Irritating to mucous membranes. Avoid breathing vapors or mists. Not an expected route of exposure. No known effect based on information supplied.

Chronic Effects No known effect based on information supplied

Aggravated Medical Conditions Central nervous system.

Environmental Hazard See Section 12 for additional Ecological information

Touch 'n Seal Foam Kit Class I FR Foam

Touch 'n Seal Mine Foam

Touch 'n Seal Rib & Roof Foam Sealant

Touch 'n Seal Foam Kit Low Density

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
1,1,1,2- Tetrafluoroethane	811-97-2	10-30
(Non-Flammable Compressed Gas,		
HFC-134a, Fluorocarbon)		
Proprietary Polyol Blend	Proprietary mixture	60-90

4. FIRST AID MEASURES

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. In case of contact with

liquefied gas, thaw frosted parts with lukewarm water. If symptoms persist, call a physician.

Inhalation Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Flammable Properties Containers may explode when heated.

Flash Point None

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam. Move containers

from fire area if you can do it without risk. Dike fire-control water for

later disposal.

Unsuitable Extinguishing Media Do not scatter spilled material with high pressure water streams.

Explosion Data

Sensitivity to mechanical impact None Sensitivity to static discharge None

Specific Hazards Arising from the Chemical

Ruptured cylinders may rocket.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus and protective suit.

NFPA Health Hazard 1 Flammability 1 Stability 0 Physical and Chemical

Hazards -

Revision Date May 14, 2008

HMIS Health Hazard 1 Flammability 1 Stability 0 Personal Precautions -

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation

Methods for Containment Prevent further leakage or spillage if safe to do so.

Component B for Revision Date May 14, 2008

Touch 'n Seal Foam Kit Class I FR Foam

Touch 'n Seal Mine Foam

Touch 'n Seal Rib & Roof Foam Sealant

Touch 'n Seal Foam Kit Low Density

Methods for Cleaning UpSoak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Wear personal

protective equipment. Avoid contact with eyes. Ensure adequate ventilation. Do not breathe

vapors or spray mist.

Storage Keep containers tightly closed in a cool, well-ventilated place. Ideal Storage Temperature is

16-32 °C / 60 – 90 °F. Storage above 32 °C / 90 °F will reduce its shelf-life. Never keep at temperatures above 48.8 °C / 120 °F. Protect the container from physical abuse. Keep out of

the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
1,1,1,2- Tetrafluoroethane	None-established	None-established	None-established
HFC-134a			

Engineering Measures Showers

Eyewash stations Ventilation systems

Personal Protective Equipment

Eye/Face Protection Skin and Body protection

Tightly fitting safety goggles. Wear protective gloves/clothing.

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Pale Amber Odor Faint hydrocarbon

Odor Threshold No information available Physical State Liquid (Frothable)

pH No information available

Flash Point None Autoignition Temperature Not applicable

Decomposition temperature No data available **Boiling Point/Range** -26°C / -15°F for HFC-134a

Melting Point/Range No data available

Flammability Limits in Air No data available Explosion Limits No data available

Touch 'n Seal Foam Kit Class I FR Foam

Touch 'n Seal Mine Foam

Touch 'n Seal Rib & Roof Foam Sealant

Touch 'n Seal Foam Kit Low Density

Specific Gravity 1.2 Water Solubility Not Compatible

Solubility No data available Evaporation Rate No data available

 Vapor Pressure
 No data available
 Vapor Density
 No data available

VOC Content Not applicable EPA VOC (g/l) 0

Partition Coefficient (n-

octanol/water)

No data available

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Products Oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and

vapors, Carbon monoxide (CO), Carbon dioxide (CO2).

Revision Date May 14, 2008

Hazardous Polymerization Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information . No acute toxicity information is available for this product..

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,1,1,2- Tetrafluoroethane HFC-134a	None-established	None-established	None-established

Subchronic Toxicity (28 days)

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

Mutagenicity

Reproductive Toxicity

This product does not contain any known or suspected reproductive hazards

Target Organ Effects Central nervous system (CNS).

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)

Component B for Revision Date May 14, 2008

Touch 'n Seal Foam Kit Class I FR Foam Touch 'n Seal Mine Foam

Touch 'n Seal Rib & Roof Foam Sealant Touch 'n Seal Foam Kit Low Density

Chemical Name Log Pow 1.1.1.2- Tetrafluoroethane 1.061 HFC-134a

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method This material, as supplied, is not a hazardous waste according to state and federal regulations

(40 CFR 261).

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT

Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen) **Proper Shipping Name**

Hazard Class

Description NONFLAMMABLE GAS (Fluorocarbon, Nitrogen)

TDG

Proper Shipping Name Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen)

Hazard Class UN-No UN1956

Description NONFLAMMABLE GAS (Fluorocarbon, Nitrogen)

MEX

Proper Shipping Name Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen)

Hazard Class 2.2 **UN-No** UN1956

Description NONFLAMMABLE GAS (Fluorocarbon, Nitrogen)

ICAO

UN-No UN1956

Proper Shipping Name Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen)

Hazard Class

Description NONFLAMMABLE GAS (Fluorocarbon, Nitrogen)

IATA

UN-No UN1956

Proper Shipping Name Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen)

Hazard Class 2.2 **ERG Code** 2L

Description NONFLAMMABLE GAS (Fluorocarbon, Nitrogen)

IMDG/IMO

Proper Shipping Name Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen)

Hazard Class UN-No UN1956 EmS No. F-D. S-U

Description NONFLAMMABLE GAS (Fluorocarbon, Nitrogen)

RID

Proper Shipping Name Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen)

Hazard Class 2 **UN-No** UN1956 **Classification Code** 5A

Description NONFLAMMABLE GAS (Fluorocarbon, Nitrogen)

ADR/RID-Labels 2

ADR

Proper Shipping Name Compressed gas, n.o.s. (1,1,1,2- Tetrafluoroethane, Nitrogen)

Hazard Class

Touch 'n Seal Foam Kit Class I FR Foam

Touch 'n Seal Mine Foam

Touch 'n Seal Rib & Roof Foam Sealant

Touch 'n Seal Foam Kit Low Density

14. TRANSPORT INFORMATION

UN-No UN1956 Classification Code 5A ADR/RID-Labels 2

Note: Transportation information provided is for reference only. Client is urged to consult 49 CFR 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

Revision Date May 14, 2008

15. REGULATORY INFORMATION

International Inventories

DSL Complies
EINECS/ELINCS Complies
ENCS Complies
CHINA Complies
KECL Complies
PICCS Complies
AICS Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values
1,1,1,2- Tetrafluoroethane, HFC-134a	811-97-2	10-30	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard Yes
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
1,1,1,2- Tetrafluoroethane*,		X	X		
HFC-134a					

^{*} Workplace Environmental Exposure Level (AIHA) 8 hours TWA 1000ppm.

Touch 'n Seal Foam Kit Class I FR Foam Touch 'n Seal Mine Foam Touch 'n Seal Rib & Roof Foam Sealant Touch 'n Seal Foam Kit Low Density **Revision Date** May 14, 2008

International Regulations

Chemical Name	Carcinogen Status	Exposure Limits

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

A Compressed gases



Chemical Name	NPRI
1,1,1,2- Tetrafluoroethane, HFC-134a	X

Legend

NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION

Issuing Date March 11, 2008

Revision Date May 14, 2008

Revision Note Container Sizes in product name removed

Add "RF-

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS