



EnduraView
Door Systems

Features & Benefits

The EnduraView Door System is a highly efficient door product, featuring SUNshield Technology. SUNshield is an advanced material developed through an intensive manufacturing process and formulated to withstand the harsh effects of weather and ultraviolet light. This environmentally safe compound exceeds all required material standards for strength.

A Fully fusion welded corners offer rigid long lasting performance.

B 100% virgin vinyl featuring SUNshield® Technology for superior material integrity.

C Full interlock at the meeting rail offers reduced air infiltration keeping you comfortable and safe inside your home.

D Standard with a nail fin for easy installation. Can be easily removed for remodeling applications.

E Stationary panel is direct set making the EnduraView door an easier installation.

F Field reversible prior to installation. Great for when your plans change.

G 3/4" insulated glass sealed with Super Spacer offers great thermal performance.

H When grids are required we use contoured "fish mouth" construction for a more authentic look.

I Aluminum sill tracks for superior strength and longevity. This grooved walking plate provides an area to scrape off dirt, keeping your home cleaner.



J Operable Sash and Screen are fully adjustable for smooth operation.

K Sleek and stylish handle to match well to your homes decor.

L Available options of foot bolt and/or security bar for added peace of mind and safety.

M Full reinforcements in all vertical sash members provides strength, rigidity and security.

N Both sash and screen glide smoothly on extruded aluminum guide tracks.



Options

Available Colors [*Exterior only] More colors available upon request.



White
Solid Vinyl




Desert Sand
Solid Vinyl




*Chocolate
Bronze

Due to printing
actual color
may vary.


Grid Patterns



15 Lite Colonial
Standard on 6' & 9' doors



20 Lite Colonial
Standard on 8' & 12' doors



Prairie (optional)

Grid Styles **H**



Contoured Fish Mouth



Flat (optional)

Screen Options **J**




Standard
screen
made of
extruded
aluminum




Upgrade
screen
with integral
handle made
of extruded
aluminum


Sizes & Operation




XO, OX
5068 PD
59.5" X 79.5"




XO, OX
6068 PD
71.5" X 79.5"



XO, OX
8068 PD
95.5" X 79.5"



XOO, OXO, OOX
9068 PD
107.25" X 79.5"



XOO, OXO,
OOX12068 PD
143.25" X 79.5"

X - OPERATIONING PANEL O - FIXED PANEL
NOTE: 3 panel doors consist of a door with mulled sidelite.
All door operations are viewed outside looking in.



Comfort

Warm edge technology is more than just a low conductive product that helps make a window more thermally efficient. The warm edge spacer is the actual seal that keeps the glass package in a door from failing.



Energy transfer thru full metal spacer



Less energy transfer thru NO-Metal Super Spacer®

There are two types of systems on the market today: single seal and dual seal systems. Single seal units are constructed of only one (1) type of

sealant, which is called upon to perform double duty. Not only must the sealant retard the infiltration of moisture, but it must also hold the glass unit together under a wide variety of both high and low temperatures while withstanding the effects of high humidity and ultraviolet exposure.

All EnduraView Doors use Super Spacer® dual seal insulating glass system. This NO-metal, structural foam spacer clearly resists condensation, reduces energy costs, provides long-life durability and adds both comfort and value to your home.

As a Health Smart® Door made with Super Spacer®, EnduraView minimizes concerns about harmful mold, bacteria, viruses, allergens, and mites by reducing condensation and stabilizing household humidity at optimum levels.



Longevity

National Vinyl LLC was founded by Ben Sumner and Stephen Fellers with the simple premise to make the best windows at a fair price and provide the best value and service in the industry. Their partnership formed in 1963 when Ben became 50% owner in Stephens' gas and service station. Since then they have been 50-50 partners in every business they've formed. National Vinyl LLCs' ownership brings nearly 70 years of fenestration experience. Having

built interior storm panels as early as 1978 and vinyl windows in 1984, Ben and Steve have been innovative leaders in home energy savings.

All of us at National Vinyl LLC thank you for the opportunity to provide our quality windows and doors for your home. We understand that in today's market there are many choices and the decision to buy windows and doors is one that needs only to be made once. That is why we are so confident that given the chance you will be completely satisfied with your decision to use National Vinyl in your home.

Warranty

- **Lifetime Limited Warranty on all vinyl**
- **10 Year Limited Warranty on all paint and laminate**
- **10 Year Limited Warranty on sealed glass units**
- **5 Year Limited Warranty on hardware**

*See official Warranty for exact details.

National Vinyl, LLC

7 Coburn Street, Chicopee, MA 01013
413-420-0548 www.nvpwindows.com



Performance ratings:

Glass Options	Unit U-Value w/ Low-E & Argon Gas	Solar Heat Gain Coefficient	Visible Transmittance
Low-E Argon No Grid	.28	.30	.55
Low-E Argon With Grids	.28	.27	.49



The name and logo of Deceuninck, or its affiliated companies and the products and services manufactured by them, are trade-marks protected by national and international laws.